

# 安全資料表

# 危害物料資料

1. 產品與用途														
1.1 物料名稱 :	Auto Polish & Cleaner													
1.2 用途 :	去污蠟水													
2. 危害成份														
2.1 危害分類及標籤 <sup>:</sup>	HARMFUL 行吉		TOXIC 扫毒		DRROSIVE 腐蝕性	RROSIVE GOATS		IRRITANT #1880 th		- (E	EXPLOSIVE 舉作性		OXIDIZING DIME	
	有害	!	有毒	原	酸性	ŧ	易燃	刺	激性	爆	炸性	ŧ.	助燃	ť.
_		)	( )	(			( )	(	)	(	)	(	(	)
2.2 酸鹼值(pH)	不適用				2.3	曝፟፟፟	톻限制(	(OE	L) :	不適	<del>  </del>			
2.4 致癌物質 :	沒有	沒有 2.5 <b>其他危害</b> : 無					無資	無資料						
2.5 潛在危害 <sup>:</sup>	眼睛接觸:長期接觸會刺激眼睛													
	皮膚接觸:長期接觸會刺激皮膚													
3. 火警和爆炸資料														
3.1 燃燒物成份比例:	無資料		3.2	沸點(	<u> </u>	無資	料	3	3.3 溶	點(	):	無資	料	
3.4 閃點( ) :	無資料	3.5 比重		:	1.058@25		3	3.6 氣壓力		j :	:無資料			
3.7 爆炸極限(濃度)	不適用		3.8 溶解度		变 :	沒有	沒有		3.9 氣味			: 帶有水果的氣味		
3.10 滅火設備 :	灑水或二氧化碳,化學乾粉之滅火劑													
4. 急救處理	. <b>急救處理</b>													
4.1 眼睛接觸 <sup>:</sup>	立即用大量的水沖洗眼睛。如仍覺眼睛有刺激,立即求醫/送醫。													
4.2 皮膚接觸 :	直接用大量冷水沖洗皮膚至少15分鐘,如刺激持續立即送醫													
4.4 食入 :	喝下大量清水,立即送院就醫治療													
5. 個人防護裝備	. 個人防護裝備													
□ 橡膠手套		□ 防化學品護眼罩 □				□□罩								
6. 處理及使用應知事項														
6.1 儲存注意事項:		• 存放於乾爽陰涼的地方												
6.2 意外洩漏處理的方	11/1/4.			用泥土、沙或吸收劑來圍堵洩漏物,將吸收後之物料棄置於 學廢物收集點,避免洩漏物流入溝渠										
7. 其他資料														
- 使用後需徹底清潔														



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

#### **SECTION 1. IDENTIFICATION**

Product name : CYC NO7 AUTO POLISH & CLNR 6/14 OZ

Product code : 1110

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : POLISH

Restrictions on use : Use only outdoors or in a well-ventilated area.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Eye irritation : Category 2A

**GHS** label elements

Hazard pictograms :

**(!**>

Signal word : Warning

Hazard statements : Causes skin irritation.

Causes serious eye irritation.

Precautionary statements : Prevention:

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Petroleum Distillates CAS 64742-47-8 /	Not Assigned	>= 5 - < 10
CAS 64741-65-7		
Diatomaceous earth	68855-54-9	>= 5 - < 10
Kerosene	8008-20-6	>= 1 - < 5
Morpholine	110-91-8	>= 1 - < 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

Causes skin irritation.

Causes serious eye irritation.



### CYCLO® NO7 AUTO POLISH & CLEANER

Version **Revision Date:** SDS Number: Date of last issue: 11/04/2020 60000001197 Date of first issue: 09/21/2017 2.1 03/29/2023

delayed

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Carbon oxides Silicon oxides

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

Do not smoke.

Avoid contact with skin and eves.

Dispose of rinse water in accordance with local and national

regulations.



### **CYCLO® NO7 AUTO POLISH & CLEANER**

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
Diatomaceous earth	68855-54-9	TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3	
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3	
		TWA	6 mg/m3 (Silica)	NIOSH REL	
Kerosene	8008-20-6	TWA	100 mg/m3	NIOSH REL	
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1	
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH	
		TWA	400 ppm 1,600 mg/m3	OSHA P0	
Morpholine	110-91-8	TWA	20 ppm	ACGIH	
		TWA	20 ppm 70 mg/m3	NIOSH REL	
		ST	30 ppm 105 mg/m3	NIOSH REL	
		TWA	20 ppm 70 mg/m3	OSHA Z-1	
		TWA	20 ppm 70 mg/m3	OSHA P0	
		STEL	30 ppm 105 mg/m3	OSHA P0	



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard

gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : liquid

Colour : off-white

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : 212 °C

Flash point : > 93 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : > 20.5 mm2/s (40 °C)

Molecular weight : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Carbon oxides Silicon oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 200 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Kerosene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Morpholine:

Acute oral toxicity : LD50 (Rat): ca. 1,900 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : LD50 (Rabbit): ca. 500 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Remarks: May cause skin irritation and/or dermatitis.



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

#### **Components:**

#### Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

Result: Irritating to skin.

Result: Repeated exposure may cause skin dryness or cracking.

Kerosene:

Result: Irritating to skin.

Morpholine:

Result: Corrosive after 3 minutes or less of exposure

### Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### **Components:**

Kerosene:

Result: Possibly irritating to eyes

Morpholine:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### **Components:**

### Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

Result: Not a skin sensitizer.

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

### Morpholine:

Genotoxicity in vitro : Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 482

Result: negative

Test Type: In vitro mammalian cell gene mutation test



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

### Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### Components:

#### Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

#### Kerosene:

Assessment: May cause drowsiness or dizziness.

#### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

May be fatal if swallowed and enters airways.

#### Kerosene:

May be fatal if swallowed and enters airways.

#### **Further information**

#### **Product:**

Remarks: No data available



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ		
-		(lbs)	(lbs)		
Ethylbenzene	100-41-4	100	100 (F003)		
Xylene	1330-20-7	100	100 (F003)		
Xylene	1330-20-7	100	*		



### CYCLO® NO7 AUTO POLISH & CLEANER

Version Revision Date: SDS Number: Date of last issue: 11/04/2020 2.1 03/29/2023 600000001197 Date of first issue: 09/21/2017

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


#### California Prop. 65

WARNING: This product can expose you to chemicals including Ethylbenzene, Naphthalene, Cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard

Revision Date : 03/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.



## **CYCLO® NO7 AUTO POLISH & CLEANER**

Version 2.1

Revision Date: 03/29/2023

SDS Number: 60000001197

Date of last issue: 11/04/2020 Date of first issue: 09/21/2017

US / EN