

安全資料表

危害物料資料

1. 產品與用途							
1.1 物料名稱	LGMT 3						
1.2 用途	雪油						
2. 危害成份							
2.1 危害分類及標籤							
	有害	有毒	腐蝕性	易燃	刺激性	爆炸性	助燃
	()	()	()	()	(✓)	()	()
2.2 酸鹼值(pH)	不適用			2.3 曝露限制(OEL)	無資料		
2.4 致癌物質	沒有			2.5 其他危害	無資料		
2.5 潛在危害	眼睛接觸：刺激眼睛 皮膚接觸：長時間接觸會刺激皮膚 食入：刺激黏膜組織、噁心及嘔吐 吸入：會刺激呼吸管線引致咳嗽及呼吸困難						
3. 火警和爆炸資料							
3.1 燃燒物成份比例	無資料	3.2 沸點(°F)	無資料	3.3 溶點()	不適用		
3.4 閃點()	>220	3.5 比重	<0.95g/cm ³	3.6 氣壓力	不適用		
3.7 爆炸極限(濃度)	不適用	3.8 溶解度	不溶於水	3.9 氣味	氣味溫和		
3.10 滅火設備	水劑、泡沫、二氧化碳及化學乾粉劑之滅火筒。						
4. 急救處理							
4.1 眼睛接觸	立即用大量清水沖洗 15 分鐘，如持續感覺不適，儘快尋求醫療護理。						
4.2 皮膚接觸	脫下受污染之衣物，用大量清水或肥皂水沖洗接觸部位，塗潤膚霜以免皮膚乾裂，如感皮膚受刺激，儘快尋求醫療護理。						
4.3 吸入	迅速離開現場到新鮮空氣處休息。如持續感不適，儘快尋求醫療護理。						
4.4 食入	不要強行嘔吐，飲用 1 至 2 杯清水及立即尋求醫療護理。						
5. 個人防護裝備							
<input checked="" type="checkbox"/> 橡膠手套		<input checked="" type="checkbox"/> 防化學品護眼罩			<input checked="" type="checkbox"/> 合適保護圍裙		
6. 處理及使用應知事項							
6.1 儲存注意事項:	• 保持良好通風 • 遠離熱源、火花及火種、避免溫度超過350°C • 避免接觸助燃性、強酸或強鹼						
6.2 意外洩漏處理的方法:	穿著合適個人防護裝備，以布碎或泥沙等墮性物料吸收洩漏物，已吸收洩漏物之物料，需以按照處理化學廢物程序處理。						
7. 其他資料							
- N/A							

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LGMT 3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF MPT
Address: Meidoornkade 14
Zip code: 3992 AE
City: AE Houten
Country: NETHERLANDS (KINGDOM OF THE)
E-mail: support.mpt@skf.com
Phone: +31 30 6307200
Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes. Prolonged or repeated inhalation of vapours may cause damage to the central nervous system.

2.2. Label elements

Supplemental information

EUH210 Safety data sheet available on request.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.
Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
-----------	---------------------------------	---------------	-------	--------------------

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

Molybdenum thiocarbamate	68412-26-0 270-180-5 01-2120764792-44	1.00 -< 5.00 %		Aquatic Chronic 4;H413
-----------------------------	---	----------------	--	------------------------

Please see section 16 for the full text of H- / EUH-phrases.

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of discomfort.
Skin contact:	Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort.
Eye contact:	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes. Prolonged or repeated inhalation of vapours may cause damage to the central nervous system.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. Can generate harmful flue gases containing carbon monoxide in the event of fire.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of eye splash.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely out of reach of children and not together with food, feed, medicine and the like. Keep in tightly closed original packaging. Do not store with the following: Strong oxidisers/ Strong acids/ Strong alkalis.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m ³	fiber/cm ³	Remarks	Comments
Molybdenum thiocarbamate	8h		10		As Mo. OEL value for: Molybdenum compounds, insoluble	
Molybdenum thiocarbamate	15m		20		As Mo. OEL value for: Molybdenum compounds, insoluble	

Measuring methods:

Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis:

EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering controls:

Use the product under well-ventilated conditions, preferably outdoors. Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection:

Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166.

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

Personal protective equipment, hand protection: Wear gloves. Type of material and thickness: Nitrile rubber/ 0,38 mm. Penetration time: >8 hours. Gloves must conform to EN 374.
The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.

Personal protective equipment, respiratory protection: Not required.
In case of risk of formation of spray mist, wear respiratory protective equipment with P2 filter. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Paste
Colour	Yellow
Odour	Characteristic
Solubility	Insoluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	0.95 g/cm ³	(15 °C)
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Parameter	Value/unit	Remarks
NLGI	3	

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers/ Strong acids/ Strong alkalis.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidisers/ Strong acids/ Strong alkalis.

10.6. Hazardous decomposition products

Can generate harmful flue gases containing carbon monoxide in the event of fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral:	Ingestion may cause discomfort. The product does not have to be classified. Test data are not available.
Acute toxicity - dermal:	The product does not have to be classified. Test data are not available.
Acute toxicity - inhalation:	The product does not have to be classified. Test data are not available.
Skin corrosion/irritation:	May cause slight irritation. The product does not have to be classified. Test data are not available.
Serious eye damage/eye irritation:	Temporary irritation. The product does not have to be classified. Test data are not available.
Respiratory sensitisation or skin sensitisation:	The product does not have to be classified. Test data are not available.
Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
Carcinogenic properties:	The product does not have to be classified. Test data are not available.
Reproductive toxicity:	The product does not have to be classified. Test data are not available.
Single STOT exposure:	The product does not have to be classified. Test data are not available.
Repeated STOT exposure:	Prolonged or repeated inhalation of vapours may cause damage to the central nervous system. The product does not have to be classified. Test data are not available.
Aspiration hazard:	The product does not have to be classified. Test data are not available.

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

11.2. Information on other hazards

Endocrine disrupting properties: None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Molybdenum thiocarbamate, cas-no 68412-26-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Crustacea			48hEC50	100 mg/l			
Algae			72hEC50	100 mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. The product contains small quantities of environmentally hazardous substances.

12.2. Persistence and degradability

Molybdenum thiocarbamate, cas-no 68412-26-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		0 %	Not readily biodegradable.	OECD 301 B	

Not expected to be biodegradable.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

Category of waste: EWC code: Depends on line of business and use, for instance 12 01 12* spent waxes and fats

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable. **14.4. Packing group:** Not applicable.
14.2. UN proper shipping name: Not applicable. **14.5. Environmental hazards:** Not applicable.
14.3. Transport hazard class(es): Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name
01-2120764792-44	Molybdenum thiocarbamate

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
4.0.0	04/12/2023	Bureau Veritas HSE/ SRU	2,3,4,5,6,7,8,9,11,12,15,16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very Persistent and Very Bioaccumulative
STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Safety Data Sheet

LGMT 3

Replaces date: 09/12/2022

Revision date: 04/12/2023

Version: 4.0.0

Classification method: Calculation based on the hazards of the known components.

Hazard statements

H413 May cause long lasting harmful effects to aquatic life.

Supplemental hazard information

EUH210 Safety data sheet available on request.

Country: GB