

Carrier Hong Kong Limited

安全資料表

1. 產品與用途							
1.1 物料名稱	Blygold Coil Clean MX						
1.2 用途	清洗線圈						
2. 危害成份							
2.1 危害分類及標籤							
	有害	有毒	腐蝕性	易燃	刺激性	爆炸性	助燃
	()	()	(✓)	()	()	()	()
2.2 酸鹼值(pH)	無資料			2.3 曝露限制(OEL)	不適用		
2.4 致癌物質	無資料			2.5 其他危害	無資料		
2.5 潛在危害	眼睛接觸：腐蝕眼睛，引致紅腫、痛楚、視力模糊不清的永久損害 吸入、食入、經皮膚接觸均有害						
3. 火警和爆炸資料							
3.1 燃燒物成份比例	無資料		3.2 沸點(°C)	無資料		3.3 溶點(°C)	無資料
3.4 閃點(°C)	不易燃		3.5 比重	不適用		3.6 氣壓力	不適用
3.7 爆炸極限(濃度)	不適用		3.8 溶解度	不能在水中溶解		3.9 氣味	溫和
3.10 滅火設備	建議使用泡沫、二氧化碳、乾粉滅火劑及砂土撲救。						
4. 急救處理							
4.1 眼睛接觸	用大量清水沖洗最少 15 分鐘以上及見醫生						
4.2 皮膚接觸	除去染污衣服。用清水及肥皂清潔。						
4.3 食入	不可引致嘔吐，若持續咳或嘔吐，送院救治。						
4.4 吸入	移到清新空氣地方休息。保持患者體溫。						
5. 個人防護裝備							
<input checked="" type="checkbox"/> 橡膠手套		<input checked="" type="checkbox"/> 防化學品護眼罩			<input checked="" type="checkbox"/> 口罩		
6. 處理及使用應知事項							
6.1 儲存注意事項	<ul style="list-style-type: none"> • 儲存於陰涼通風庫房、遠離火種、熱源；倉溫不宜超過30°C； • 保持容器密封；與氧化劑、食用化學品分開存放,切忌混儲； • 採用防爆型照明、通風設施； • 禁止使用產生火花的機械設備和工具； • 儲區應務有洩漏應急處理設備和合適的收容材料。 						
6.2 意外洩漏處理的方法	切斷火源。迅速撤離洩漏污染區人員至安全地帶,並進行隔離,嚴格限制出入。盡可能切斷洩漏源。防止進入下水道、排洪溝等限制性空間。						
7. 其他資料							
<ul style="list-style-type: none"> - 保持空氣流通 - 不可在工作間吸煙、飲及食。接觸化學品後，必須洗手。 							

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 1/24/2022 Revision date: 5/19/2022 Supersedes version of: 5/9/2022 Version: 3.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Blygold Coil Clean MX
UFI : 0F90-F04U-100Y-F7RK
Product code : U320105
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : Professional uses
Industrial use
Use of the substance/mixture : Cleaner for air-cooled heat exchangers

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Blygold International B.V.
Hoofdveste 13
NL- 3992 DH Houten
Nederland
T 030-6344344 - F 030-6344300
info@blygold.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts,
Octasodium [ethylenebis[nitrilobis(methylene)]tetrakisphosphonate

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Immediately call a POISON CENTER, a doctor.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated
clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER, a doctor.

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	CAS-No.: 68411-30-3 EC-No.: 270-115-0 REACH-no: 01-2119489428-22	$\geq 1 - < 5$	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE Not classified Aquatic Chronic 3, H412
sodium cumenesulfonate	CAS-No.: 28348-53-0 EC-No.: 248-983-7 REACH-no: 01-2119489411-37	$\geq 1 - < 5$	Eye Irrit. 2, H319
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16	$\geq 1 - < 5$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16	($5 \leq C < 10$) Eye Irrit. 2, H319 ($10 \leq C < 100$) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Immediately flush skin or eyes (or both) with running water for at least 20 min. Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Thermal decomposition generates : Corrosive vapours.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours, mist. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Cautiously neutralize spilled liquid.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : NEVER pour water into this substance; when dissolving or diluting always add it slowly to the water.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours, mist. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Incompatible materials : Acids.

7.3. Specific end use(s)

No additional information available

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective goggles. Gloves. Protective clothing. Face shield.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Face shield. Protective goggles

8.2.2.2. Skin protection

Skin and body protection:

Corrosionproof clothing

Hand protection:

The data are based on literature data and information from glove manufacturers or are derived by analogy from similar substances. It should be borne in mind that the useful life of a chemical glove can in practice be considerably shorter than the permeation time calculated in accordance with EN 374 due to many influence factors (eg temperature). The gloves must be replaced in the event of signs of wear. Gloves should be changed in case of contamination and after every chemical operation to prevent cross contamination. Dispose of the gloves in accordance with relevant national and local regulations. Chemical-resistant safety gloves (EN 374). Suitable materials with short contact resp. splashing. Recommended: at least permeation class 2, corresponding to > 30 minutes permeation time according to EN 374: Nitrile rubber (NBR; ≥ 0.35 mm layer thickness), Butyl rubber (IIR; ≥ 0.5 mm layer thickness). Chemical-resistant safety gloves (EN 374). Suitable materials also for longer, direct contact. Recommended: permeation class 6, corresponding to > 480 minutes permeation time according to EN 374: Butyl rubber (IIR; ≥ 0.5 mm layer thickness). Nitrile rubber (NBR; ≥ 0.35 mm layer thickness). Butyl rubber (IIR; ≥ 0.5 mm layer thickness)

8.2.2.3. Respiratory protection

Respiratory protection:

Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations. Combined gas/dust mask with filter type A/P2

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: fluid.
Colour	: light yellow.
Odour	: No data available
Odour threshold	: No data available
pH	: 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure at 20 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.037
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. Under fire conditions, hazardous fumes will be present.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

sodium cumenesulfonate (28348-53-0)	
LD50 oral rat	> 7000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 6.41 mg/l/4h

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LD50 oral rat	1080 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation : Causes severe skin burns.
pH: 13
Serious eye damage/irritation : Causes serious eye damage.
pH: 13
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Remarks on results: other:
NOAEL (oral, rat, 90 days)	85 mg/kg bodyweight Animal: rat, Remarks on results: other:

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [2]	7.4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [2]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'
NOEC chronic crustacea	0.27 mg/l
NOEC chronic algae	0.95 mg/l

sodium cumenesulfonate (28348-53-0)	
LC50 - Fish [1]	> 1000 mg/l

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

sodium cumenesulfonate (28348-53-0)	
EC50 - Crustacea [1]	> 1000 mg/l
ErC50 algae	230 mg/l
NOEC chronic algae	31 mg/l
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
LC50 - Fish [2]	2.88 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna
ErC50 algae	7.4 mg/l
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'
NOEC chronic crustacea	0.59 mg/l
NOEC chronic algae	0.35 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
Partition coefficient n-octanol/water (Log Pow)	0.3
sodium cumenesulfonate (28348-53-0)	
Partition coefficient n-octanol/water (Log Pow)	-1.1 (23 °C)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (23 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1 UN number

UN-No. (ADR) : UN 1824
UN-No. (IMDG) : UN 1824
UN-No. (IATA) : UN 1824

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA) : Sodium hydroxide solution
Transport document description (ADR) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)
Transport document description (IMDG) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II
Transport document description (IATA) : UN 1824 Sodium hydroxide solution, 8, II

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II


14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E

Transport by sea

Segregation (IMDG) : SGG18, SG35

Air transport

No data available

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Blygold Coil Clean MX	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
anionic surfactants	5-15%
polycarboxylates	<5%
2-BROMO-2-NITROPROPANE-1,3-DIOL	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
3	Composition/information on ingredients	Modified	
6.1	Emergency procedures	Modified	
7.1	Precautions for safe handling	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level

Blygold Coil Clean MX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE Not classified	Specific target organ toxicity (repeated exposure) Not classified

SDS EU (REACH Annex II) - Blygold

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.